ACTIVE SYSTEM

ON/OFF AUTOMATIC ELECTRONIC BOOSTER SYSTEMS



ACTIVE J



ACTIVE EI

CE

DOMESTIC WATER SUPPLY

Automatic lifting units, particulary suitable for domestic use, small systems for civil, agricultural and industrial use, washing systems and hobby applications.
They are characterised by the use of:
- self-priming motor-driven pumps JET, JETINOX, JET-COM, EUROINOX that can even work when there are bubbles of air or gas. They are essential for drawing from artesian wells or wherever suction difficulties arise.
The EURO - EUROCOM multistage centrifugal pumps are particularly appropriate for low-noise underwater operation.
The **ACTIVE** system helps increase pressure in systems where it is insufficient or irregular.

The **ACTIVE** system is a built-in, easy-to-install, and ready-to-use device which:
- controls it
- commands it automatically
- controls its operation
- limits starts
- guarantees pressure stability inside the hydraulic circuit.
- electronically controls starting pressure


TECHNICAL DATA

MODEL	CODE	ELECTRICAL DATA							HYDRAULIC DATA											
		VOLTAGE 50 Hz	P1 MAX KW	P2 NOMINAL		In A	CAPACITOR		Q=m³h	0	0,6	1,2	1,8	2,4	3,0	3,6	4,2	4,8	6	7,2
				kW	HP		µF	Vc	Q=l/min	0	10	20	30	40	50	60	70	80	100	120
ACTIVE J 62 M	102690000	1x220-240 V ~	0,72	0,44	0,6	3,12	12,5	450		42,7	35	29,2	25,6	22,9	13					
ACTIVE J 82 M	102690010	1x220-240 V ~	0,85	0,6	0,8	3,8	12,5	450		47	40	34	30	26,2	23,5	20,3				
ACTIVE J 102 M	102690020	1x220-240 V ~	1,13	0,75	1	5,1	16	450		53,8	47	41	36,3	32,4	28,8	25,8				
ACTIVE J 112 M	102690030	1x220-240 V ~	1,4	1	1,36	6	25	450		61	54	47,8	42,8	38,8	34,8	20				
ACTIVE J 92 M	102690040	1x220-240 V ~	0,94	0,75	1	4,2	14	450		36,2	33,5	31	28,4	26	24	21,8	19,6	17,5		
ACTIVE J 132 M	102690050	1x220-240 V ~	1,49	1	1,36	6,6	25	450		48,3	45,6	42,8	40	37,6	35	32,5	30	27,2		
ACTIVE JI 82 M	102690210	1x220-240 V ~	0,85	0,6	0,8	3,8	12,5	450		47	40	34	30	26,2	23,5	20,3				
ACTIVE JI 102 M	102690220	1x220-240 V ~	1,13	0,75	1	5,1	16	450		53,8	47	41	36,3	32,4	28,8	25,8				
ACTIVE JI 112 M	102690230	1x220-240 V ~	1,4	1	1,36	6	25	450		61	54	47,8	42,8	38,8	34,8	20				
ACTIVE JI 92 M	102690240	1x220-240 V ~	0,94	0,75	1	4,2	14	450		36,2	33,5	31	28,4	26	24	21,8	19,6	17,5		
ACTIVE JI 132 M	102690250	1x220-240 V ~	1,49	1	1,36	6,6	25	450		48,3	45,6	42,8	40	37,6	35	32,5	30	27,2		
ACTIVE JC 102 M	102690420	1x220-240 V ~	1,13	0,75	1	5,1	16	450	H (m)	53,8	47	41	36,3	32,4	28,8	25,8				
ACTIVE JC 132 M	102690450	1x220-240 V ~	1,49	1	1,36	6,6	25	450		48,3	45,6	42,8	40	37,6	35	32,5	30	27,2		
ACTIVE E 30/50 M	102690630	1x220-240 V ~	0,88	0,55	0,75	3,9	12,5	450		42,2	40,2	38,2	36,2	33,8	30	24,8	19,5	14		
ACTIVE EI 25/30 M	102690800	1x220-240 V ~	0,52	0,37	0,5	2,4	10	450		34,4	31,7	28,3	23,5	17,5	11					
ACTIVE EI 30/30 M	102690810	1x220-240 V ~	0,72	0,45	0,6	3,2	12,5	450		46	42,2	37,8	31,2	23,3	14,3					
ACTIVE EI 40/30 M	102690820	1x220-240 V ~	0,88	0,55	0,75	3,9	12,5	450		57	52,7	47	38,8	29	17,7					
ACTIVE EI 30/50 M	102690830	1x220-240 V ~	0,88	0,55	0,75	3,9	12,5	450		42,2	40,2	38,2	36,2	33,8	30	24,8	19,5	14		
ACTIVE EI 40/50 M	102690840	1x220-240 V ~	1,20	0,8	1,1	5,3	25	450		57,7	55,3	52,8	50,1	47,1	42,7	35,8	28	19,2		
ACTIVE EI 50/50 M	102690850	1x220-240 V ~	1,48	1	1,36	6	25	450		72	68,5	65,5	62,1	58,2	52,2	48	43,6	34,5	26	
ACTIVE EI 25/80 M	102690860	1x220-240 V ~	0,88	0,55	0,75	3,9	12,5	450		34		33	32	30,5	28,5	26	23,5	21	14,5	6,5
ACTIVE EI 30/80 M	102690870	1x220-240 V ~	1,20	0,8	1,1	5,3	25	450		47		46,5	45	43,5	41	38	34,5	31	23	12
ACTIVE EI 40/80 M	102690880	1x220-240 V ~	1,48	1	1,36	6	25	450		59	58	57	56	54	51	47,5	43,8	39,5	29,5	16


ACTIVE SYSTEM

ON/OFF AUTOMATIC ELECTRONIC BOOSTER SYSTEMS


ACTIVE J




ACTIVE JI




ACTIVE JC



ACTIVE E




ACTIVE EI




DIMENSIONS AND WEIGHTS


ACTIVE J




ACTIVE JI




ACTIVE JC



ACTIVE E



ACTIVE EI



MODEL	A	B	C	D	E	F	H	H1	DNA GAS	DNM GAS	PACKAGING DIMENSIONS			WEIGHT Kg	Q.TY x PALLET
											L/A	L/B	H		
ACTIVE J 62 M	395	192	108	178	9	111	322	144	1"	1"	476	234	348	10,50	14
ACTIVE J 82 M	395	192	108	178	9	111	322	144	1"	1"	476	234	348	13,20	14
ACTIVE J 102 M	395	192	108	178	9	111	322	144	1"	1"	476	234	348	12,50	14
ACTIVE J 112 M	395	192	108	178	9	111	322	144	1"	1"	476	234	348	15,70	14
ACTIVE J 92 M	395	192	108	178	9	111	322	144	1"	1"	476	234	348	11,70	14
ACTIVE J 132 M	395	192	108	178	9	111	322	144	1"	1"	476	234	348	13,50	14
ACTIVE JI 82 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	10,70	14
ACTIVE JI 102 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	12,50	14
ACTIVE JI 112 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	13,70	14
ACTIVE JI 92 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	11,70	14
ACTIVE JI 132 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	13,50	14
ACTIVE JC 102 M	406	208	122	170	9	111	322	144	1"	1"	476	234	348	12,50	14
ACTIVE JC 132 M	406	208	122	170	9	111	322	144	1"	1"	476	234	348	13,50	14
ACTIVE E 30/50 M	377	180	94	175	9	111	322	144	1"	1"	476	234	348	11,70	14
ACTIVE EI 25/30 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	10,90	14
ACTIVE EI 30/30 M	445	247	167	174	9	111	322	141	1"	1"	476	234	348	13,50	14
ACTIVE EI 40/30 M	445	247	167	174	9	111	322	141	1"	1"	476	234	348	14,00	14
ACTIVE EI 30/50 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	10,00	14
ACTIVE EI 40/50 M	445	247	167	174	9	111	322	141	1"	1"	476	234	348	15,50	14
ACTIVE EI 50/50 M	445	247	167	174	9	111	322	141	1"	1"	476	234	348	15,20	14
ACTIVE EI 25/80 M	390	192	112	174	9	111	322	141	1"	1"	476	234	348	9,50	14
ACTIVE EI 30/80 M	445	247	167	174	9	111	322	141	1"	1"	476	234	348	15,50	14
ACTIVE EI 40/80 M	445	247	167	174	9	111	322	141	1"	1"	476	234	348	15,00	14

ACCESSORIES INCLUDED

MODEL	CODE	Q.TY X BOX
ACTIVE FLEXIBLE PIPE FOR HYDRAULIC CONNECTION	147120790	1



ACTIVE FLEXIBLE PIPE